單面 / 雙面 LCD 20X2 客戶端顯示器

介紹:

PROMAG **DSP853/854** 客戶端訊息顯示器是一台設計美觀的 POS 系統周邊裝置。

適用於 RS232 界面,它可搭配 ECR、 POS 系統使用, 用來顯示客人購買的價格及要找的零錢,它也能應用在顯 示廣告訊息等方面。

特色:

- 最多可顯示 40 個字 (20 個字 x 2 排)
- 大字體 (9.2X6.0 mm) 容易讀取
- 面板支柱高度可配合其他裝置,自行調整伸縮 (380mm 至 550mm)
- 面板支柱高度可配合其他裝置,自行調整伸縮 (380mm 至 550mm)

用途及功能:

- ▶ 可設定國際間通用的字型
- ▶ 廣告文字訊息輪播.
- 以 RS-232C 介面爲基礎,可選擇 baud rates 速度 (300 至 9600 BPS)
- ※ 產品規格變更不另行通知

規格:

が11台・			
顯示器	LCD 顯示器		
文字數量	40 (20字 x 2 列)		
顯示器文字顏色	Positive: 藍字-黃底 Negative: 黃字-藍底		
字體 font	5 x 7 dot matrix		
字體大小	H 9.6 x W 6.0 mm		
字體種類	Alpha numeric: 60 International characters: 52 Graphic characters: 128		
顯示面板大小	H 20.6 x W 149.0 mm		
尺寸	顯示器: H 85 x W 230 x D 58 mm 基座: H 12 mm with 80 mm diameter		
面板支柱	伸縮高度調整 270 至 440 mm 直徑 38 mm		
面板上下擺動度	最大至30度		
面板水平旋轉度	360 度		
重量	約 800 grams		
介面	Serial interface model: RS-232C with 9 pin D-sub female connector		

訂購資訊:

- DSP853 單面顯示器, Positive LCD version
- DSP854 雙面顯示器, Positive LCD version
- DSP853N –單面顯示器, Negative LCD version
- DSP854N –雙面顯示器, Negative LCD version







We welcome OEM inquiries

- ♦ Custom design manufacturing is available
- ♦ Custom device programming is available
- ♦ Call factory for other configuration

集佳股份有限公司 GIGA-TMS INC.

8F.,NO.31, LANE 169, KANG-NING STREET,HSI-CHIH,TAIPEI,TAIWAN TEL: 886-2-26954214 FAX: 886-2-26954213

e-mail: promag@ms24.hinet.net promag@gigatms.com.tw

http://www.gigatms.com.tw